

# Diamond Blade

## TW 22

**Type** Sintered, Closed Edge

**Application** High-performance diamond blades for concrete, brick, ceramic and slate

Diameter x bore in mm	Max Speed	Max RPM	Segment No.	Segment Thickness	Segment Height	Packing	Art No	Quality
100 x 16	80 m/s	15,300 rpm	CR	2.6	7	1	KW00726	P S
100 x 16	80 m/s	15,300 rpm	CR	2.6	8	1	KW00727	P S
115 x 22	80 m/s	13,300 rpm	CR	2.6	7	1	KW00728	P S
115 x 22	80 m/s	13,300 rpm	CR	2.6	8	1	KW00729	P S
125 x 22	80 m/s	12,250 rpm	CR	2.6	7	1	KW00730	P S
125 x 22	80 m/s	12,250 rpm	CR	2.6	8	1	KW00731	P S
180 x 22	80 m/s	8,500 rpm	CR	3.0	7	1	KW00732	P S
180 x 22	80 m/s	8,500 rpm	CR	3.0	8	1	KW00733	P S
230 x 22	80 m/s	6,650 rpm	CR	3.1	7	1	KW00734	P S
230 x 22	80 m/s	6,650 rpm	CR	3.1	8	1	KW00735	P S
300 x 20	100 m/s	6,400 rpm	CR	3.1	7	1	KW00736	P S
300 x 22	100 m/s	6,400 rpm	CR	3.1	7	1	KW00737	P S
300 x 25.4	100 m/s	6,400 rpm	CR	3.1	7	1	KW00738	P S
300 x 25.4	100 m/s	6,400 rpm	CR	3.1	8	1	KW00739	P S
350 x 25.4	100 m/s	5,500 rpm	CR	3.1	7	1	KW00740	P S
350 x 30	100 m/s	5,500 rpm	CR	3.1	8	1	KW00741	P S

PROFESSIONAL



STANDARD

